



National  
Qualifications  
2014

**X757/75/02**

**Physics**  
**Section 1—Questions**

THURSDAY, 22 MAY

9:00 AM – 11:00 AM

Instructions for the completion of Section 1 are given on Page two of your question and answer booklet X757/75/01.

Record your answers on the answer grid on Page three of your question and answer booklet.

Reference may be made to the Data Sheet on Page two of this booklet and to the Relationship Sheet X757/75/11.

Before leaving the examination room you must give your question and answer booklet to the Invigilator; if you do not, you may lose all the marks for this paper.



\* X 7 5 7 7 5 0 2 \*

## DATA SHEET

### Speed of light in materials

Material	Speed in $\text{m s}^{-1}$
Air	$3.0 \times 10^8$
Carbon dioxide	$3.0 \times 10^8$
Diamond	$1.2 \times 10^8$
Glass	$2.0 \times 10^8$
Glycerol	$2.1 \times 10^8$
Water	$2.3 \times 10^8$

### Gravitational field strengths

	Gravitational field strength on the surface in $\text{N kg}^{-1}$
Earth	9.8
Jupiter	23
Mars	3.7
Mercury	3.7
Moon	1.6
Neptune	11
Saturn	9.0
Sun	270
Uranus	8.7
Venus	8.9

### Specific latent heat of fusion of materials

Material	Specific latent heat of fusion in $\text{J kg}^{-1}$
Alcohol	$0.99 \times 10^5$
Aluminium	$3.95 \times 10^5$
Carbon Dioxide	$1.80 \times 10^5$
Copper	$2.05 \times 10^5$
Iron	$2.67 \times 10^5$
Lead	$0.25 \times 10^5$
Water	$3.34 \times 10^5$

### Specific latent heat of vaporisation of materials

Material	Specific latent heat of vaporisation in $\text{J kg}^{-1}$
Alcohol	$11.2 \times 10^5$
Carbon Dioxide	$3.77 \times 10^5$
Glycerol	$8.30 \times 10^5$
Turpentine	$2.90 \times 10^5$
Water	$22.6 \times 10^5$

### Speed of sound in materials

Material	Speed in $\text{m s}^{-1}$
Aluminium	5200
Air	340
Bone	4100
Carbon dioxide	270
Glycerol	1900
Muscle	1600
Steel	5200
Tissue	1500
Water	1500

### Specific heat capacity of materials

Material	Specific heat capacity in $\text{J kg}^{-1} \text{ } ^\circ\text{C}^{-1}$
Alcohol	2350
Aluminium	902
Copper	386
Glass	500
Ice	2100
Iron	480
Lead	128
Oil	2130
Water	4180

### Melting and boiling points of materials


Material	Melting point in $^\circ\text{C}$	Boiling point in $^\circ\text{C}$
Alcohol	-98	65
Aluminium	660	2470
Copper	1077	2567
Glycerol	18	290
Lead	328	1737
Iron	1537	2737

### Radiation weighting factors

Type of radiation	Radiation weighting factor
alpha	20
beta	1
fast neutrons	10
gamma	1
slow neutrons	3
X-rays	1

## SECTION 1

1. The voltage of an electrical supply is a measure of the
- A resistance of the circuit
  - B speed of the charges in the circuit
  - C power developed in the circuit
  - D energy given to the charges in the circuit
  - E current in the circuit.
2. Four circuit symbols, W, X, Y and Z, are shown.








Which row identifies the components represented by these symbols?

	W	X	Y	Z
A	battery	ammeter	resistor	variable resistor
B	battery	ammeter	fuse	resistor
C	lamp	ammeter	variable resistor	resistor
D	lamp	voltmeter	resistor	fuse
E	lamp	voltmeter	variable resistor	fuse


[Turn over

3. A student suspects that ammeter  $A_1$  may be inaccurate. Ammeter  $A_2$  is known to be accurate.

Which of the following circuits should be used to compare the reading on  $A_1$  with  $A_2$ ?



4. A ball of mass  $0.50 \text{ kg}$  is released from a height of  $1.00 \text{ m}$  and falls towards the floor.



Which row in the table shows the gravitational potential energy and the kinetic energy of the ball when it is at a height of  $0.25 \text{ m}$  from the floor?

	<i>Gravitational potential energy (J)</i>	<i>Kinetic energy (J)</i>
A	0.12	0.12
B	1.2	1.2
C	1.2	3.7
D	3.7	1.2
E	4.9	1.2

5. The pressure of a fixed mass of gas is  $6.0 \times 10^5 \text{ Pa}$ .

The temperature of the gas is  $27^\circ\text{C}$  and the volume of the gas is  $2.5 \text{ m}^3$ .

The temperature of the gas increases to  $54^\circ\text{C}$  and the volume of the gas increases to  $5.0 \text{ m}^3$ .






What is the new pressure of the gas?

- A  $2.8 \times 10^5 \text{ Pa}$
- B  $3.3 \times 10^5 \text{ Pa}$
- C  $6.0 \times 10^5 \text{ Pa}$
- D  $1.1 \times 10^6 \text{ Pa}$
- E  $1.3 \times 10^6 \text{ Pa}$

[Turn over

6. A student is investigating the relationship between the volume and the kelvin temperature of a fixed mass of gas at constant pressure.

Which graph shows this relationship?



7. A liquid is heated from 17°C to 50°C. The temperature rise in kelvin is

- A 33 K
- B 67 K
- C 306 K
- D 340 K
- E 579 K.

8. The period of vibration of a guitar string is 8 ms.

The frequency of the sound produced by the guitar string is

- A 0.125 Hz
- B 12.5 Hz
- C 125 Hz
- D 800 Hz
- E 8000 Hz.

9. A student makes the following statements about microwaves and radio waves.

- I In air, microwaves travel faster than radio waves.
- II In air, microwaves have a longer wavelength than radio waves.
- III Microwaves and radio waves are both members of the electromagnetic spectrum.

Which of these statements is/are correct?

- A I only
- B III only
- C I and II only
- D I and III only
- E II and III only

10. Which row describes alpha ( $\alpha$ ), beta ( $\beta$ ) and gamma ( $\gamma$ ) radiations?

	$\alpha$	$\beta$	$\gamma$
A	helium nucleus	electromagnetic radiation	electron from the nucleus
B	helium nucleus	electron from the nucleus	electromagnetic radiation
C	electron from the nucleus	helium nucleus	electromagnetic radiation
D	electromagnetic radiation	helium nucleus	electron from the nucleus
E	electromagnetic radiation	electron from the nucleus	helium nucleus

11. A sample of tissue is irradiated using a radioactive source.

A student makes the following statements about the sample.

- I The equivalent dose received by the sample is reduced by shielding the sample with a lead screen.
- II The equivalent dose received by the sample is increased as the distance from the source to the sample is increased.
- III The equivalent dose received by the sample is increased by increasing the time of exposure of the sample to the radiation.

Which of these statements is/are correct?

- A I only
- B II only
- C I and II only
- D II and III only
- E I and III only

12. The half-life of a radioactive source is 64 years.

In 2 hours,  $1.44 \times 10^8$  radioactive nuclei in the source decay.

What is the activity of the source in Bq?

- A  $2 \times 10^4$
- B  $4 \times 10^4$
- C  $1.2 \times 10^6$
- D  $2.25 \times 10^6$
- E  $7.2 \times 10^7$

13. A student makes the following statements about the fission process in a nuclear power station.

- I Electrons are used to bombard a uranium nucleus.
- II Heat is produced.
- III The neutrons released can cause other nuclei to undergo fission.

Which of these statements is/are correct?


- A I only
- B II only
- C III only
- D I and II only
- E II and III only



14. Which of the following contains two vectors and one scalar quantity?

- A Acceleration, mass, displacement
- B Displacement, force, velocity
- C Time, distance, force
- D Displacement, velocity, acceleration
- E Speed, velocity, distance

15. A vehicle follows a course from R to T as shown.



The total journey takes 1 hour.

Which row in the table gives the average speed and the average velocity of the vehicle for the whole journey?

	<i>Average speed</i>	<i>Average velocity</i>
A	2.6 km h <sup>-1</sup> (023)	3.4 km h <sup>-1</sup>
B	2.6 km h <sup>-1</sup>	3.4 km h <sup>-1</sup> (203)
C	3.4 km h <sup>-1</sup> (203)	2.6 km h <sup>-1</sup>
D	3.4 km h <sup>-1</sup>	2.6 km h <sup>-1</sup> (023)
E	3.4 km h <sup>-1</sup>	2.6 km h <sup>-1</sup> (203)


16. A force of 10 N acts on an object for 2 s.

During this time the object moves a distance of 3 m.

The work done on the object is

- A 6.7 J
- B 15 J
- C 20 J
- D 30 J
- E 60 J.

17. Catapults are used by anglers to project fish bait into water.  
A technician designs a catapult for this use.



Pieces of elastic of different thickness are used to provide a force on the ball.

Each piece of elastic is the same length.

The amount of stretch given to each elastic is the same each time.

The force exerted on the ball increases as the thickness of the elastic increases.

Which row in the table shows the combination of the thickness of elastic and mass of ball that produces the greatest acceleration?

	<i>Thickness of elastic</i> (mm)	<i>Mass of ball</i> (kg)
A	5	0.01
B	10	0.01
C	10	0.02
D	15	0.01
E	15	0.02


18. A spacecraft completes the last stage of its journey back to Earth by parachute, falling with constant speed into the sea.

The spacecraft falls with constant speed because

- A the gravitational field strength of the Earth is constant near the Earth's surface
- B it has come from space where the gravitational field strength is almost zero
- C the air resistance is greater than the weight of the spacecraft
- D the weight of the spacecraft is greater than the air resistance
- E the air resistance is equal to the weight of the spacecraft.

19. A ball is released from point Q on a curved rail, leaves the rail horizontally at R and lands 1 s later.

The ball is now released from point P.




Which row describes the motion of the ball after leaving the rail?

	<i>Time to land after leaving rail</i>	<i>Distance from S to landing point</i>
A	1 s	less than 2 m
B	less than 1 s	more than 2 m
C	1 s	more than 2 m
D	less than 1 s	2 m
E	more than 1 s	more than 2 m

20. A solid substance is placed in an insulated flask and heated continuously with an immersion heater.

The graph shows how the temperature of the substance in the flask changes in time.



After 5 minutes the substance is a

- A solid
- B liquid
- C gas
- D mixture of solid and liquid
- E mixture of liquid and gas.

[END OF SECTION 1. NOW ATTEMPT THE QUESTIONS IN SECTION 2  
OF YOUR QUESTION AND ANSWER BOOKLET]

FOR OFFICIAL USE



National  
Qualifications  
2014

Mark

--

**X757/75/01**

**Physics**  
**Section 1—Answer Grid**  
**and Section 2**

THURSDAY, 22 MAY

9:00 AM – 11:00 AM



\* X 7 5 7 7 5 0 1 \*

Fill in these boxes and read what is printed below.

Full name of centre

--

Town

--

Forename(s)

--

Surname

--

Number of seat

--

Date of birth

Day

Month

Year

D	D
---	---

M	M
---	---

Y	Y
---	---

Scottish candidate number

--	--	--	--	--	--	--	--	--	--

**Total marks — 110**

**SECTION 1 — 20 marks**

Attempt ALL questions in this section.

Instructions for the completion of Section 1 are given on Page two.

**SECTION 2 — 90 marks**

Attempt ALL questions in this section.

Write your answers clearly in the spaces provided in this booklet. Additional space for answers and rough work is provided at the end of this booklet. If you use this space you must clearly identify the question number you are attempting. Any rough work must be written in this booklet. You should score through your rough work when you have written your final copy.

Use **blue** or **black** ink.

Reference may be made to the Data Sheet on Page two of the question paper X757/75/02 and to the Relationship Sheet X757/75/11.

Care should be taken to give an appropriate number of significant figures in the final answers to calculations.

Before leaving the examination room you must give this booklet to the Invigilator; if you do not, you may lose all the marks for this paper.



\* X 7 5 7 7 5 0 1 0 1 \*

The questions for Section 1 are contained in the question paper X757/75/02.  
Read these and record your answers on the answer grid on Page three opposite.  
Do NOT use gel pens.

1. The answer to each question is **either** A, B, C, D or E. Decide what your answer is, then fill in the appropriate bubble (see sample question below).
2. There is **only one correct** answer to each question.
3. Any rough work must be written in the additional space for answers and rough work at the end of this booklet.

### Sample Question

The energy unit measured by the electricity meter in your home is the:

- A ampere
- B kilowatt-hour
- C watt
- D coulomb
- E volt.

The correct answer is **B**—kilowatt-hour. The answer **B** bubble has been clearly filled in (see below).

A	B	C	D	E
<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

### Changing an answer

If you decide to change your answer, cancel your first answer by putting a cross through it (see below) and fill in the answer you want. The answer below has been changed to D.

A	B	C	D	E
<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>

If you then decide to change back to an answer you have already scored out, put a tick (✓) to the **right** of the answer you want, as shown below:

A	B	C	D	E	or	A	B	C	D	E
<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



\* X 7 5 7 7 5 0 1 0 2 \*

## SECTION 1 — Answer Grid



\* 0 B J 2 0 A E 1 \*

	A	B	C	D	E
1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
9	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
10	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
11	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
12	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
13	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
14	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
15	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
16	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
17	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
18	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
19	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
20	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



\* X 7 5 7 7 5 0 1 0 3 \*

[BLANK PAGE]

DO NOT WRITE ON THIS PAGE



\* X 7 5 7 7 5 0 1 0 4 \*



[Turn over for Question 1 on *Page six*

DO NOT WRITE ON THIS PAGE



\* X 7 5 7 7 5 0 1 0 5 \*

## SECTION 2 — 90 marks

Attempt ALL questions


MARKS

DO NOT  
WRITE IN  
THIS  
MARGIN

1. A toy car contains an electric circuit which consists of a 12.0V battery, an electric motor and two lamps.



The circuit diagram is shown.



- (a) Switch 1 is now closed.

Calculate the power dissipated in the motor when operating.

3

*Space for working and answer*



MARKS

DO NOT  
WRITE IN  
THIS  
MARGIN

1. (continued)

(b) Switch 2 is now also closed.

(i) Calculate the total resistance of the motor and the two lamps.

3

*Space for working and answer*

(ii) One of the lamps now develops a fault and stops working.

State the effect this has on the other lamp.

You **must** justify your answer.

2


Total marks 8

[Turn over



\* X 7 5 7 7 5 0 1 0 7 \*

2. A thermistor is used as a temperature sensor in a circuit to monitor and control the temperature of water in a tank. Part of the circuit is shown.




- (a) (i) The variable resistor  $R$  is set at a resistance of  $1050\ \Omega$ .  
Calculate the resistance of the thermistor when the voltage across the thermistor is  $2.0\text{ V}$ .

4

*Space for working and answer*

## 2. (a) (continued)

- (ii) The graph shows how the resistance of the thermistor varies with temperature.




Use the graph to determine the temperature of the water when the voltage across the thermistor is 2.0 V.

1



## 2. (continued)

(b) The circuit is now connected to a switching circuit to operate a heater.



(i) Explain how the circuit operates to switch on the heater when the temperature falls below a certain value.

3

(ii) The resistance of the variable resistor R is now increased.

What effect does this have on the temperature at which the heater is switched on?

You **must** justify your answer.

3

Total marks 11



\* X 7 5 7 7 5 0 1 1 0 \*

[Turn over for Question 3 on *Page twelve*

DO NOT WRITE ON THIS PAGE




\* X 7 5 7 7 5 0 1 1 1 \*

3. A student is investigating the specific heat capacity of three metal blocks X, Y and Z.

Each block has a mass of 1.0 kg.

A heater and thermometer are inserted into a block as shown.



The heater has a power rating of 15 W.

The initial temperature of the block is measured.

The heater is switched on for 10 minutes and the final temperature of the block is recorded.

This procedure is repeated for the other two blocks.

The student's results are shown in the table.

Block	Initial temperature (°C)	Final temperature (°C)
X	15	25
Y	15	85
Z	15	34

- (a) Show that the energy provided by the heater to each block is 9000 J.

2

*Space for working and answer*



## 3. (continued)

- (b) (i) By referring to the results in the table, identify the block that has the greatest specific heat capacity. 1

- (ii) Calculate the specific heat capacity of the block identified in (b)(i). 3  
*Space for working and answer*

- (c) Due to energy losses, the specific heat capacities calculated in this investigation are different from the accepted values.

The student decides to improve the set up in order to obtain a value closer to the accepted value for each block.


- (i) Suggest a possible improvement that would reduce energy losses. 1

- (ii) State the effect that this improvement would have on the final temperature. 1

Total marks 8



4. A student, fishing from a pier, counts four waves passing the end of the pier in 20 seconds. The student estimates that the wavelength of the waves is 12 m.



- (a) Calculate the speed of the water waves.


4

*Space for working and answer*



## 4. (continued)

- (b) When looking down into the calm water behind the pier the student sees a fish.



Complete the diagram to show the path of a ray of light from the fish to the student.

You should include the normal in your diagram.

3

(An additional diagram, if required, can be found on *Page thirty-one.*)

Total marks 7

[Turn over



5. The UV Index is an international standard measurement of the intensity of ultraviolet radiation from the Sun. Its purpose is to help people to effectively protect themselves from UV rays.

The UV index table is shown.

<i>UV Index</i>	<i>Description</i>
0 – 2	Low risk from the Sun's UV rays for the average person
3 – 5	Moderate risk of harm from unprotected Sun exposure
6 – 7	High risk of harm from unprotected Sun exposure
8 – 10	Very high risk of harm from unprotected Sun exposure
11+	Extreme risk of harm from unprotected Sun exposure

The UV index can be calculated using

$$UV\ index = \left[ \frac{total\ effect\ of}{UV\ radiation} \times \frac{elevation\ above}{sea\ level\ adjustment} \times \frac{cloud}{adjustment} \right] \div 25$$

The UV index is then rounded to the nearest whole number.

The tables below give information for elevation above sea level and cloud cover.

<i>Elevation above sea level (km)</i>	<i>Elevation above sea level adjustment</i>
1	1.06
2	1.12
3	1.18

<i>Cloud cover</i>	<i>Cloud adjustment</i>
Clear skies	1.00
Scattered clouds	0.89
Broken clouds	0.73
Overcast skies	0.31



5. (continued)

MARKS

DO NOT  
WRITE IN  
THIS  
MARGIN


- (a) At a particular location the total effect of UV radiation is 280.  
The elevation is 2 km above sea level with overcast skies.  
Calculate the UV index value for this location.

2

*Space for working and answer*

- (b) Applying sunscreen to the skin is one method of protecting people from the Sun's harmful UV rays. UV radiation can be divided into three wavelength ranges, called UVA, UVB and UVC.

A manufacturer carries out some tests on experimental sunscreens P, Q and R to determine how effective they are at absorbing UV radiation. The test results are displayed in the graph.



Using information from the graph, complete the following table.

2

	UVA	UVB	UVC
Type of sunscreen that absorbs most of this radiation		Sunscreen Q	
Type of sunscreen that absorbs least of this radiation	Sunscreen R		

- (c) State one useful application of UV radiation.


1

Total marks 5



\* X 7 5 7 7 5 0 1 1 7 \*


6. A technician carries out an experiment, using the apparatus shown, to determine the half-life of a radioactive source.



- (a) State what is meant by the term *half-life*.

1

- (b) The technician displays the data obtained from the experiment in the graph below.



\* X 7 5 7 7 5 0 1 1 8 \*

MARKS

DO NOT  
WRITE IN  
THIS  
MARGIN

6. (b) (continued)

- (i) Describe how the apparatus could be used to obtain the experimental data required to produce this graph.

3

- (ii) Use information from the graph to determine the half-life of the radioactive source.

1

- (iii) Determine the corrected count rate after 40 minutes.

2

*Space for working and answer*


Total marks 7



\* X 7 5 7 7 5 0 1 1 9 \*

7. A fire engine on its way to an emergency is travelling along a main street. The siren on the fire engine is sounding.

A student standing in a nearby street cannot see the fire engine but can hear the siren.



Use your knowledge of physics to comment on why the student can hear the siren even though the fire engine is not in view.

3





8. An airport worker passes suitcases through an X-ray machine.



- (a) The worker has a mass of  $80.0\text{ kg}$  and on a particular day absorbs  $7.2\text{ mJ}$  of energy from the X-ray machine.

- (i) Calculate the absorbed dose received by the worker.

3

*Space for working and answer*

- (ii) Calculate the equivalent dose received by the worker.

3

*Space for working and answer*



8. (continued)

(b) X-rays can cause ionisation.

Explain what is meant by *ionisation*.

MARKS

DO NOT  
WRITE IN  
THIS  
MARGIN


1

Total marks 7



\* X 7 5 7 7 5 0 1 2 2 \*

9. A communications satellite is used to transmit live television broadcasts from the UK to Canada.



A student states that, to allow the live television broadcasts to be received in Canada, it is important that the satellite does not move.

Use your knowledge of physics to comment on this statement.

3

[Turn over




\* X 7 5 7 7 5 0 1 2 3 \*

10. In a rowing event a boat moves off in a straight line.



A graph of the boat's motion is shown.



- (a) (i) Calculate the acceleration of the boat during the first 25 s.  
*Space for working and answer*

3

- (ii) Describe the motion of the boat between 25 s and 450 s.

1



\* X 7 5 7 7 5 0 1 2 4 \*

MARKS

DO NOT  
WRITE IN  
THIS  
MARGIN

10. (a) (continued)

- (iii) Draw a diagram showing the horizontal forces acting on the boat between 25 s and 450 s.

You **must** name these forces and show their directions.

2

(b) The boat comes to rest after 510 s.

- (i) Calculate the total distance travelled by the boat.

3

*Space for working and answer*

- (ii) Calculate the average velocity of the boat.

A direction is not required.

3

*Space for working and answer*

Total marks 12



\* X 7 5 7 7 5 0 1 2 5 \*

11. A helicopter is used to take tourists on sightseeing flights.  
Information about the helicopter is shown in the table.



weight of empty helicopter	13 500 N
maximum take-off weight	24 000 N
cruising speed	$67 \text{ m s}^{-1}$
maximum speed	$80 \text{ m s}^{-1}$
maximum range	610 km

- (a) The pilot and passengers are weighed before they board the helicopter.  
Explain the reason for this.

1

- (b) Six passengers and the pilot with a combined weight of 6125 N board the helicopter.

Determine the minimum upward force required by the helicopter at take-off.

1

*Space for working and answer*



11. (continued)

- (c) The helicopter travels 201 km at its cruising speed.  
Calculate the time taken to travel this distance.  
*Space for working and answer*

MARKS

DO NOT  
WRITE IN  
THIS  
MARGIN

3


Total marks 5

[Turn over



\* X 7 5 7 7 5 0 1 2 7 \*

12. A student is investigating the motion of water rockets. The water rocket is made from an upturned plastic bottle containing some water. Air is pumped into the bottle. When the pressure of the air is great enough the plastic bottle is launched upwards.



The mass of the rocket before launch is 0.94 kg.

- (a) Calculate the weight of the water rocket.

3

*Space for working and answer*

- (b) Before launch, the water rocket rests on three fins on the ground.

The area of each fin in contact with the ground is  $2.0 \times 10^{-4} \text{ m}^2$ .

Calculate the total pressure exerted on the ground by the fins.

4

*Space for working and answer*





12. (continued)

MARKS

DO NOT  
WRITE IN  
THIS  
MARGIN

(c) Use Newton's Third Law to explain how the rocket launches.

1

(d) At launch, the initial upward thrust on the rocket is 370 N.

Calculate the initial acceleration of the rocket.

4

*Space for working and answer*

(e) The student launches the rocket a second time.

For this launch, the student adds a greater volume of water than before.

The same initial upward thrust acts on the rocket but it fails to reach the same height.

Explain why the rocket fails to reach the same height.


2

Total marks 14

[END OF QUESTION PAPER]



\* X 7 5 7 7 5 0 1 2 9 \*




\* X 7 5 7 7 5 0 1 3 0 \*

ADDITIONAL SPACE FOR ANSWERS AND ROUGH WORK

MARKS

DO NOT  
WRITE IN  
THIS  
MARGIN

Additional diagram for Question 4 (b)



\* X 7 5 7 7 5 0 1 3 1 \*

ADDITIONAL SPACE FOR ANSWERS AND ROUGH WORK

MARKS	DO NOT WRITE IN THIS MARGIN



\* X 7 5 7 7 5 0 1 3 2 \*

ADDITIONAL SPACE FOR ANSWERS AND ROUGH WORK

MARKS

DO NOT  
WRITE IN  
THIS  
MARGIN



\* X 7 5 7 7 5 0 1 3 3 \*

[BLANK PAGE]

DO NOT WRITE ON THIS PAGE



\* X 7 5 7 7 5 0 1 3 4 \*

[BLANK PAGE]

DO NOT WRITE ON THIS PAGE



\* X 7 5 7 7 5 0 1 3 5 \*

## ACKNOWLEDGEMENTS

Question 1—32618 Stuart Elflett/Shutterstock.com

Question 8—86789524 Ints Vikmanis/Shutterstock.com

Question 10—804267 Sandra R. Barba/Shutterstock.com





National  
Qualifications  
2014

**X757/75/11**

**Physics  
Relationships Sheet**

THURSDAY, 22 MAY

9:00 AM – 11:00 AM



\* X 7 5 7 7 5 1 1 \*

$$E_p = mgh$$

$$d = vt$$

$$E_k = \frac{1}{2}mv^2$$

$$v = f\lambda$$

$$Q = It$$

$$T = \frac{1}{f}$$

$$V = IR$$

$$A = \frac{N}{t}$$

$$R_T = R_1 + R_2 + \dots$$

$$D = \frac{E}{m}$$

$$\frac{1}{R_T} = \frac{1}{R_1} + \frac{1}{R_2} + \dots$$

$$H = Dw_R$$

$$V_2 = \left( \frac{R_2}{R_1 + R_2} \right) V_s$$

$$\dot{H} = \frac{H}{t}$$

$$\frac{V_1}{V_2} = \frac{R_1}{R_2}$$

$$s = vt$$

$$P = \frac{E}{t}$$

$$d = \overline{v}t$$

$$P = IV$$

$$s = \overline{v}t$$

$$P = I^2 R$$

$$a = \frac{v-u}{t}$$

$$P = \frac{V^2}{R}$$

$$W = mg$$

$$E_h = cm\Delta T$$

$$F = ma$$

$$p = \frac{F}{A}$$

$$E_w = Fd$$

$$\frac{pV}{T} = \text{constant}$$

$$E_h = ml$$

$$p_1V_1 = p_2V_2$$

$$\frac{p_1}{T_1} = \frac{p_2}{T_2}$$

$$\frac{V_1}{T_1} = \frac{V_2}{T_2}$$

# Additional Relationships

## Circle

$$\text{circumference} = 2\pi r$$

$$\text{area} = \pi r^2$$

## Sphere

$$\text{area} = 4\pi r^2$$

$$\text{volume} = \frac{4}{3}\pi r^3$$

## Trigonometry

$$\sin \theta = \frac{\text{opposite}}{\text{hypotenuse}}$$

$$\cos \theta = \frac{\text{adjacent}}{\text{hypotenuse}}$$

$$\tan \theta = \frac{\text{opposite}}{\text{adjacent}}$$

$$\sin^2 \theta + \cos^2 \theta = 1$$

Electron Arrangements of Elements

Group 1      Group 2

(1)

1 <b>H</b> 1 Hydrogen	4 <b>Be</b> 2,2 Beryllium
3 <b>Li</b> 2,1 Lithium	12 <b>Mg</b> 2,8,2 Magnesium
11 <b>Na</b> 2,8,1 Sodium	20 <b>Ca</b> 2,8,8,2 Calcium
19 <b>K</b> 2,8,8,1 Potassium	38 <b>Sr</b> 2,8,18,8,2 Strontium
37 <b>Rb</b> 2,8,18,8,1 Rubidium	56 <b>Ba</b> 2,8,18,18,8,2 Barium
55 <b>Cs</b> 2,8,18,18,8,1 Caesium	88 <b>Ra</b> 2,8,18,32,18,8,2 Radium

Key

Atomic number
Symbol
Electron arrangement
Name

Transition Elements

(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
21 <b>Sc</b> 2,8,9,2 Scandium	22 <b>Ti</b> 2,8,10,2 Titanium	23 <b>V</b> 2,8,11,2 Vanadium	24 <b>Cr</b> 2,8,13,1 Chromium	25 <b>Mn</b> 2,8,13,2 Manganese	26 <b>Fe</b> 2,8,14,2 Iron	27 <b>Co</b> 2,8,15,2 Cobalt	28 <b>Ni</b> 2,8,16,2 Nickel	29 <b>Cu</b> 2,8,18,1 Copper	30 <b>Zn</b> 2,8,18,2 Zinc
39 <b>Y</b> 2,8,18,9,2 Yttrium	40 <b>Zr</b> 2,8,18,10,2 Zirconium	41 <b>Nb</b> 2,8,18,12,1 Niobium	42 <b>Mo</b> 2,8,18,13,1 Molybdenum	43 <b>Tc</b> 2,8,18,13,2 Technetium	44 <b>Ru</b> 2,8,18,15,1 Ruthenium	45 <b>Rh</b> 2,8,18,16,1 Rhodium	46 <b>Pd</b> 2,8,18,18,0 Palladium	47 <b>Ag</b> 2,8,18,18,1 Silver	48 <b>Cd</b> 2,8,18,18,2 Cadmium
57 <b>La</b> 2,8,18,18,9,2 Lanthanum	72 <b>Hf</b> 2,8,18,32,10,2 Hafnium	73 <b>Ta</b> 2,8,18,32,11,2 Tantalum	74 <b>W</b> 2,8,18,32,12,2 Tungsten	75 <b>Re</b> 2,8,18,32,13,2 Rhenium	76 <b>Os</b> 2,8,18,32,14,2 Osmium	77 <b>Ir</b> 2,8,18,32,15,2 Iridium	78 <b>Pt</b> 2,8,18,32,17,1 Platinum	79 <b>Au</b> 2,8,18,32,18,1 Gold	80 <b>Hg</b> 2,8,18,32,18,2 Mercury
89 <b>Ac</b> 2,8,18,32,18,9,2 Actinium	104 <b>Rf</b> 2,8,18,32,32,10,2 Rutherfordium	105 <b>Db</b> 2,8,18,32,32,11,2 Dubnium	106 <b>Sg</b> 2,8,18,32,32,12,2 Seaborgium	107 <b>Bh</b> 2,8,18,32,32,13,2 Bohrium	108 <b>Hs</b> 2,8,18,32,32,14,2 Hassium	109 <b>Mt</b> 2,8,18,32,32,15,2 Meitnerium	110 <b>Ds</b> 2,8,18,32,32,17,1 Darmstadtium	111 <b>Rg</b> 2,8,18,32,32,18,1 Roentgenium	112 <b>Cn</b> 2,8,18,32,32,18,2 Copernicium

2 <b>He</b> 2 Helium	5 <b>B</b> 2,3 Boron	6 <b>C</b> 2,4 Carbon	7 <b>N</b> 2,5 Nitrogen	8 <b>O</b> 2,6 Oxygen	9 <b>F</b> 2,7 Fluorine	10 <b>Ne</b> 2,8 Neon
(13)	(14)	(15)	(16)	(17)	(18)	
13 <b>Al</b> 2,8,3 Aluminium	14 <b>Si</b> 2,8,4 Silicon	15 <b>P</b> 2,8,5 Phosphorus	16 <b>S</b> 2,8,6 Sulfur	17 <b>Cl</b> 2,8,7 Chlorine	18 <b>Ar</b> 2,8,8 Argon	
31 <b>Ga</b> 2,8,18,3 Gallium	32 <b>Ge</b> 2,8,18,4 Germanium	33 <b>As</b> 2,8,18,5 Arsenic	34 <b>Se</b> 2,8,18,6 Selenium	35 <b>Br</b> 2,8,18,7 Bromine	36 <b>Kr</b> 2,8,18,8 Krypton	
49 <b>In</b> 2,8,18,18,3 Indium	50 <b>Sn</b> 2,8,18,18,4 Tin	51 <b>Sb</b> 2,8,18,18,5 Antimony	52 <b>Te</b> 2,8,18,18,6 Tellurium	53 <b>I</b> 2,8,18,18,7 Iodine	54 <b>Xe</b> 2,8,18,18,8 Xenon	
81 <b>Tl</b> 2,8,18,32,18,3 Thallium	82 <b>Pb</b> 2,8,18,32,18,4 Lead	83 <b>Bi</b> 2,8,18,32,18,5 Bismuth	84 <b>Po</b> 2,8,18,32,18,6 Polonium	85 <b>At</b> 2,8,18,32,18,7 Astatine	86 <b>Rn</b> 2,8,18,32,18,8 Radon	

Lanthanides

57 <b>La</b> 2,8,18,18,9,2 Lanthanum	58 <b>Ce</b> 2,8,18,20,8,2 Cerium	59 <b>Pr</b> 2,8,18,21,8,2 Praseodymium	60 <b>Nd</b> 2,8,18,22,8,2 Neodymium	61 <b>Pm</b> 2,8,18,23,8,2 Promethium	62 <b>Sm</b> 2,8,18,24,8,2 Samarium	63 <b>Eu</b> 2,8,18,25,8,2 Europium	64 <b>Gd</b> 2,8,18,25,9,2 Gadolinium	65 <b>Tb</b> 2,8,18,27,8,2 Terbium	66 <b>Dy</b> 2,8,18,28,8,2 Dysprosium	67 <b>Ho</b> 2,8,18,29,8,2 Holmium	68 <b>Er</b> 2,8,18,30,8,2 Erbium	69 <b>Tm</b> 2,8,18,31,8,2 Thulium	70 <b>Yb</b> 2,8,18,32,8,2 Ytterbium	71 <b>Lu</b> 2,8,18,32,9,2 Lutetium
---	--	--	---	--	--	--	--	---	--	---	--	---	---	--

Actinides

89 <b>Ac</b> 2,8,18,32,18,9,2 Actinium	90 <b>Th</b> 2,8,18,32,18,10,2 Thorium	91 <b>Pa</b> 2,8,18,32,20,9,2 Protactinium	92 <b>U</b> 2,8,18,32,21,9,2 Uranium	93 <b>Np</b> 2,8,18,32,22,9,2 Neptunium	94 <b>Pu</b> 2,8,18,32,24,8,2 Plutonium	95 <b>Am</b> 2,8,18,32,25,8,2 Americium	96 <b>Cm</b> 2,8,18,32,25,9,2 Curium	97 <b>Bk</b> 2,8,18,32,27,8,2 Berkelium	98 <b>Cf</b> 2,8,18,32,28,8,2 Californium	99 <b>Es</b> 2,8,18,32,29,8,2 Einsteinium	100 <b>Fm</b> 2,8,18,32,30,8,2 Fermium	101 <b>Md</b> 2,8,18,32,31,8,2 Mendelevium	102 <b>No</b> 2,8,18,32,32,8,2 Nobelium	103 <b>Lr</b> 2,8,18,32,32,9,2 Lawrencium
---	---	---	---	--	--	--	---	--	--	--	---	---	--	--